

500W – Coaxial Attenuator

Design Features


- ◆ High RF performance, ultra-competitive price.
- ◆ Custom design available upon request.
- ◆ Military, space and commercial applications.
- ◆ Guaranteed for one year standard.

RF Characteristics

Model Number	Freq. Range	Power	Attenuation Value	Attenuation Tolerance	VSWR Max	Connector Type	Impedance
UIYCA500AN3A10	DC-3GHz	500W	10 dB	±1.0 dB	1.2	N-M / N-F	50 Ω
UIYCA500AN3A20	DC-3GHz	500W	20 dB	±1.0 dB	1.2	N-M / N-F	50 Ω
UIYCA500AN3A30	DC-3GHz	500W	30 dB	±1.2 dB	1.2	N-M / N-F	50 Ω
UIYCA500AN3A40	DC-3GHz	500W	40 dB	±1.2 dB	1.2	N-M / N-F	50 Ω
UIYCA500AN3A60	DC-3GHz	500W	60 dB	±1.5 dB	1.2	N-M / N-F	50 Ω
UIYCA500A7163A10	DC-3GHz	500W	10 dB	±1.0 dB	1.2	7/16-M / 7/16 N-F	50 Ω
UIYCA500A7163A20	DC-3GHz	500W	20 dB	±1.0 dB	1.2	7/16-M / 7/16 N-F	50 Ω
UIYCA500A7163A30	DC-3GHz	500W	30 dB	±1.2 dB	1.2	7/16-M / 7/16 N-F	50 Ω
UIYCA500A7163A40	DC-3GHz	500W	40 dB	±1.2 dB	1.2	7/16-M / 7/16 N-F	50 Ω
UIYCA500A7163A60	DC-3GHz	500W	60 dB	±1.5 dB	1.2	7/16-M / 7/16 N-F	50 Ω
UIYCA500AN6A10	DC-6GHz	500W	10 dB	±1.2 dB	1.25	N-M / N-F	50 Ω
UIYCA500AN6A20	DC-6GHz	500W	20 dB	±1.2 dB	1.25	N-M / N-F	50 Ω
UIYCA500AN6A30	DC-6GHz	500W	30 dB	±1.5 dB	1.25	N-M / N-F	50 Ω
UIYCA500AN6A40	DC-6GHz	500W	40 dB	±1.5 dB	1.25	N-M / N-F	50 Ω
UIYCA500AN6A60	DC-6GHz	500W	60 dB	±2.0 dB	1.25	N-M / N-F	50 Ω
UIYCA500A7166A10	DC-6GHz	500W	10 dB	±1.2 dB	1.25	7/16-M / 7/16 N-F	50 Ω
UIYCA500A7166A20	DC-6GHz	500W	20 dB	±1.2 dB	1.25	7/16-M / 7/16 N-F	50 Ω
UIYCA500A7166A30	DC-6GHz	500W	30 dB	±1.5 dB	1.25	7/16-M / 7/16 N-F	50 Ω
UIYCA500A7166A40	DC-6GHz	500W	40 dB	±1.5 dB	1.25	7/16-M / 7/16 N-F	50 Ω
UIYCA500A7166A60	DC-6GHz	500W	60 dB	±2.0 dB	1.25	7/16-M / 7/16 N-F	50 Ω

- 2 List are specify frequency range and other ranges available.
 2 Please enter below information when inquiry and mark * is must.
 * 1. Power handling, Attenuation Value
 2. Connect type (SMA Male/ Female, N Male/ Female, etc.)
 3. Other special request if have (VSWR, Temperature, Dimension, etc.)

Mechanical Drawing



Unit: mm/ inch, General part tolerance is ±2% unless otherwise stated.

Ver. 5

3/F, No 9, Xiangyin Rd, Longgang District, Shenzhen 518116, China.

Web: www.uiy.com

Tel: +86-755-25999990 +86-755-25999909

Fax: +86-755-25999959

E-mail: sales@uiy.com